

What are the Major Transitions?

Matthew D. Herron^{1,*}

¹ School of Biological Sciences, Georgia Institute of Technology, Atlanta, GA 30332

* xprinceps@gmail.com

Abstract

The ‘Major Transitions in Evolution’ (MTE) framework has emerged as the dominant paradigm for understanding the origins of life's hierarchical organization, but it has been criticized on the grounds that it lacks theoretical unity, that is, that the events that make up the category do not constitute a natural kind. I agree with this criticism, and I argue that the best response is to modify the category so that it does approximate a natural kind. Specifically, I recommend defining major transitions as all those, and only those, events and processes that result in the emergence of a new level of selection. Two sorts of changes will be required to achieve this. First, events and processes that do not meet this criterion, such as the origins of the genetic code and of human language, should be excluded. Second, events and processes that do meet the criterion, but which have generally been neglected, should be included. These changes would have the dual benefits of making MTEs a philosophically coherent category and of increasing the sample size on which we may infer trends and general principles that may apply to all MTEs.

Keywords: Evolution, Individuality, Major Transitions, Natural kinds, Transitions in individuality

Introduction

I grew up thinking that Pluto was a planet. In 2006, however, the International Astronomical Union formally defined the word “planet” (International Astronomical Union 2006a), and because it had failed to “clear the neighborhood” around its orbit, Pluto didn't make the cut (International Astronomical Union 2006b). As a result, textbooks will have to be revised, posters redesigned, museum displays rebuilt...there are real economic costs to this change. Why, then, did they do it? Pluto has changed little since its discovery in 1930. Why couldn't the IAU leave well enough alone?

Humans classify the things we observe. We all agree that celestial bodies, biological organisms, and musical compositions should be sorted into categories, taxa, or genres, but why? One reason is that we think there is value in grouping like things, because doing so allows us to make generalizations. Mammals are warm-blooded and produce milk. Rockabilly combines elements of blues and country music. Planets are roundish, orbit the sun, and clear the neighborhood around their orbit (International Astronomical Union 2006a). Generalizing, in turn, allows us to ask questions about the group as a whole, with some hope that the answers will apply to all of its members. Why are mammals warm-blooded? Who were the pioneers of rockabilly? How do planets form?

As we discover more things, or more properties of known things, sometimes we have to reconsider the boundaries of a category. Classifications that we thought were discrete and unambiguous turn out to grade into each other and to include marginal cases, requiring refinement or revision of the criteria for inclusion. The discovery of monotremes, for example, required

removing live birth from the criteria for mammals. The discovery of over 1000 Trans-Neptunian Objects required refining the criteria for planets (International Astronomical Union 2006a). Genre-straddling musicians spark debates over, for example, whether Lil Nas X's "Old Town Road" should be ranked on country music charts (Leight 2019).

The reason, in a nutshell, that the IAU couldn't leave well enough alone is that the existing classification would have identified all of the trans-Neptunian Objects as planets, and there was no way short of blatant gerrymandering to change the definition to exclude them but include Pluto. So why not just include all of the Trans-Neptunian Objects? Celestial bodies that fail to clear their orbital neighborhoods differ from planets in both their mechanisms of formation and their roles in the orbital mechanics of the solar system. Classifying bodies as planets is useful because it allows us to generalize about these mechanisms and roles and to have some confidence that our generalizations will be true for all planets, including extrasolar planets. Including trans-Neptunian Objects that fail to clear their orbital neighborhoods would invalidate some of these generalizations, making the classification less useful.

One of the classifications that has proved useful in biology is that of the so-called 'Major Transitions in Evolution' (MTE). The MTE framework is an attempt to explain the hierarchical structure of life on Earth: genes within chromosomes, chromosomes within cells, cells within cells (eukaryotic cells), individuals within sexual partnerships, cells within multicellular organisms, and organisms within societies.

65 The best-known effort to unify the origins of these relationships is a book by John Maynard
66 Smith and Eörs Szathmáry, *The Major Transitions in Evolution* (Maynard Smith and Szathmáry
67 1995). First published in 1995, the book focused on the origins of these hierarchical levels, uniting
68 them into a category based on the shared criteria that they change “the way in which genetic
69 information is transmitted between generations,” and that “...entities that were capable of
70 independent replication before the transition can replicate only as part of a larger whole after it.”
71 For example, after a transition from unicellular to multicellular organisms (there have been
72 several), cellular reproduction either contributes to the growth of the organism or to production of
73 new multicellular organisms.

74
75 Rick Michod has revised this idea, focusing less on reproduction and more on units of
76 fitness (Michod and Roze 1997; Michod 1999, 2005). An edited volume intended to update the
77 Major Transitions framework, including chapters by Szathmáry (Szathmáry and Fernando 2011)
78 and Michod (Michod 2011) was published in 2011. More recently, Szathmáry (2015) himself has
79 updated the framework he developed with Maynard Smith, removing sex from the list, adding
80 endosymbiotic events, and folding in David Queller’s (1997) fraternal/egalitarian distinction.

81
82 Thus, the MTE framework has itself evolved, diversifying into several different versions
83 that nevertheless retain some ancestral characters. I will briefly review these variants, focusing on
84 the plesiomorphies that unite them and the apomorphies that distinguish them. I will argue that the
85 most useful definition of an MTE is ‘an evolutionary change that gives rise to a new level of
86 selection,’ and I will discuss the ambiguities that follow from this definition. I will explore the
87 practical implications of applying this definition and explore ambiguous cases near the margins.

Finally, I will address some of the objections that have been raised, or that I expect to be raised, to the course I advocate.

The radiation of frameworks

Maynard Smith and Szathmáry's Major Transitions framework was foreshadowed by a long tradition of viewing life as hierarchically organized and, in some cases, of viewing more inclusive units as having evolved from less inclusive units. August Weismann, for example, recognized that multicellular organisms had evolved from unicellular (Weismann 1889), and further postulated that cells were made up of groups of molecules that he called biophors (Weismann 1893). Similarly, Herbert Spencer argued that cells must consist of subcellular components he called physiological units, which were formed by “further compounding of highly compound molecules” (Spencer 1910, p. 226). William Morton Wheeler extended the hierarchy to include societies of social insects and of humans, both of which he considered real organisms (Wheeler 1911). John Tyler Bonner wrote of “leaps from one level of complexity to the next,” including the origins of life, of eukaryotes, of multicellularity, and of sociality (Table 1) (Bonner 1974). Leo Buss interpreted the hierarchy of life as one of increasingly inclusive units of selection (see quote above) — “species composed of populations, populations of individuals, individuals of cells, cells of organelles, organelles of genomes, genomes of chromosomes, and chromosomes of gene,” — and he proposed an evolutionary mechanism for its origin (Table 1) (Buss 1987, pp. 183–184).

The first comprehensive effort to understand these transitions within a unified framework, though, was Maynard Smith and Szathmáry's 1995 book *The Major Transitions in Evolution* (Table 1) (Maynard Smith and Szathmáry 1995). This book, and an accompanying paper in *Nature*

(Szathmáry and Maynard Smith 1995), attempted to explain the existence of biological units with different levels of complexity as the result of a series of events in which existing units became integrated into new, higher-level units. The most important feature of these events was that “entities that were capable of independent replication before the transition can replicate only as part of a larger whole after it” (Maynard Smith and Szathmáry 1995, p. 4). Other important features included division of labor among the lower-level units and changes in the way information is transmitted.

In his review of *The Major Transitions in Evolution*, David Queller observed that Maynard Smith and Szathmáry's framework included two distinct sorts of transitions, with different initial advantages and eventual outcomes (Queller 1997). Fraternal transitions occur among genetically similar units, such as the cells in a multicellular organism or the ants in a colony, and a reproductive division of labor can evolve through kin selection. Egalitarian transitions involve unlike or unrelated units, such as the Archaeon and bacterium that combined to form the eukaryotic cell, and although both partners benefit from the alliance, both retain the ability to reproduce.

Richard Michod has focused on the subset of the major transitions that, in his view, result in a new unit of selection, including those “from individual genes to networks of genes, from gene networks to bacteria-like cells, from bacteria-like cells to eukaryotic cells with organelles, from cells to multicellular organisms, and from solitary organisms to societies” (Table 1) (Michod 1999, p. 7). His more recent works also include the origins of sexual reproduction (Michod 2011). Michod's focus on units of selection is consistent with the view of Buss (1987) but narrower than that of Maynard Smith and Szathmáry, who acknowledged that some, but not all, of their major

transitions involved a change in the units of evolution; for example, the origin of the genetic code does not fit this scheme (Maynard Smith and Szathmáry 1995). In accordance with this narrower focus, Michod prefers to call the transitions in his framework evolutionary transitions in individuality rather than major transitions (Michod and Roze 1997; Michod 1999, 2005, 2011).

In 2011, Brett Calcott and Kim Sterelny published an edited volume, *The Major Transitions in Evolution Revisited*, with a diverse set of perspectives (Calcott et al. 2011). Several of the authors accepted Michod's view either explicitly or implicitly, by only considering the subset of the major transitions that are also transitions in individuality (Godfrey-Smith 2011; Michod 2011; Simpson 2011). Others advocated expanding the framework to include, for example, the endosymbiotic origins of plastids (Kerr and Nahum 2011), the Cambrian explosion (Calcott and Sterelny 2011), the mutualistic association between corals and zooxanthellae (Kerr and Nahum 2011), and other evolutionary innovations within the metazoa (Szathmáry and Fernando 2011).

Twenty years after the publication of *The Major Transitions in Evolution*, Szathmáry revisited the topic, presenting his conception for a “Major evolutionary transitions theory 2.0” (Table 1) (Szathmáry 2015). He advocated two major changes: the removal of sex and the inclusion of plastid acquisition. Sex, he argued, was best viewed not as a separate major transition, but “as a coevolving form of maintenance or transformation of an emerging higher-level evolutionary unit,” namely the eukaryotic cell (Szathmáry 2015, p. 10108). Since plastids are now understood to result from endosymbiotic events analogous to the acquisition of the mitochondrion, Szathmáry argued for the inclusion of both primary and recursive (secondary, tertiary, and quaternary) plastid acquisition events within the major transitions framework.

157

158 **Table 1.** A partial list of versions of the major transitions or transitions in individuality framework.

159 This is not intended to be a comprehensive list, but a sampling of works that have attempted to

160 present or revise a framework for the evolution of life's hierarchical structure (Bonner 1974; Buss

161 1987; Maynard Smith and Szathmáry 1995; Bourke 2011; Michod 2011; Szathmáry 2015; West

162 et al. 2015).

Origin of...	Maynard							
	Smith &				West			
	Bonner	Buss	Szathmáry	Michod	Bourke	Szathmáry	<i>et al.</i>	This
	1974	1987	1995	2011	2011	2015	2015	work
Eukaryotes	X	X	X	X	X	X	X	X
Multicellularity	X	X	X	X	X	X	X	X
Eusociality	X	X	X	X	X	X	X	X
Protocells/life	X	X	X	X	X	X		X
Chromosomes		X	X	X		X	X	X
Sex			X	X	X			
Language/memes		X	X			X		
Genetic code			X			X		
Plastids						X	X	X
Mutualisms					X		X	X
Colonial animals		X			X			X

163

164 **Natural kinds**

165 *There is something philosophically muddled and scientifically casual about [the major*
166 *transitions framework]...The fault has been the yielding to theoretical inconsistency.*
167 *Enough is enough.* (McShea and Simpson 2011, p. 32)

168 From the beginning, the major transitions framework has been criticized for lumping together
169 dissimilar events. Maynard Smith and Szathmáry acknowledged that their list was somewhat
170 arbitrary (Maynard Smith and Szathmáry 1995), and Queller, in his review of *The Major*
171 *Transitions*, suggested that it was really two books, one describing changes in the mechanisms of
172 inheritance and one addressing the evolution of cooperation (Queller 1997). In their chapter in *The*
173 *Major Transitions in Evolution Revisited*, Daniel McShea and Carl Simpson argued that Maynard
174 Smith and Szathmáry's list of major transitions lacks theoretical unity and needs to be revised
175 (McShea and Simpson 2011). Michod, in the same volume, defended his shorter list of transitions
176 in individuality on the grounds that, unlike Maynard Smith and Szathmáry's list, his constituted a
177 natural kind (a category whose members share fundamental similarities) (Michod 2011). More
178 recently, O'Malley and Powell pointed out that both the original and revised forms of the major
179 transitions framework fail as natural kinds, shoehorning in events that fail to meet any common
180 set of criteria and failing to include some events that do (O'Malley and Powell 2016).

181
182 I agree with McShea and Simpson: enough *is* enough. To be most useful, the MTE
183 framework should be modified so that the events and processes included approximate a natural
184 kind. As the IAU did with planets, we should define the qualifications, then include or exclude
185 particular examples based on the degree to which those qualifications are met. The criterion that

comes closest to current and historical usage is 'an evolutionary change that gives rise to a new level of selection,' in other words to a new kind of evolutionary individual.

There are a large number of different conceptions of what constitutes a biological individual, far too many to review here. Since the MTE framework, in any version, is a set of questions about evolutionary processes, the most relevant concept of individuality is an evolutionary one. The concept of individuality that has been embraced by most MTE authors is that of units of selection (Lewontin 1970; Hull 1981). Buss (1987), Maynard Smith and Szathmáry (1995), Michod (Michod and Roze 1997), Szathmáry (2015), and West and colleagues (2015), among many others, have all employed some form of this criterion.

Treating MTEs as the emergence of new levels of selection is consistent with Bonner's (1974) "levels of complexity" and with Buss's "transitions between units of selection" (Buss 1987, p. viii). Although it does not apply to all of Maynard Smith and Szathmáry's transitions (as they acknowledge), it does apply to those that meet the criterion they considered most important, the shift from independent to group replication (Maynard Smith and Szathmáry 1995) and is consistent with Maynard Smith's earlier work on the topic (Maynard Smith 1988). It is also the criterion explicitly advocated by Michod and colleagues (Michod and Roze 1997; Michod 1999, 2005, 2011) and by West and colleagues (2015). Even Szathmáry seems to have recently come around to viewing major transitions as transitions in the units of selection (Czégel et al. 2019).

207 **Ambiguities**

208 *We designate something as an organism, not because it is n steps up on the ladder of life,*
209 *but because it is a consolidated unit of design, the focal point where lines of adaptation*
210 *converge. It is where history has conspired to make between-unit selection efficacious and*
211 *within-unit selection impotent. (Queller 1997, p. 187)*

212 I do not imagine or intend that this essay will end disagreements about what processes belong in
213 the MTE framework. I have advocated for an explicit criterion—those that result in a new level of
214 selection—but that, of course, raises a new problem: what constitutes a new level of selection?
215 What I have in mind is something like Peter Godfrey-Smith's conception of a Darwinian
216 population (Godfrey-Smith 2009). A level of selection, then, is a population that is capable,
217 because its members possess heritable variation in fitness (Lewontin 1970), of evolving due to
218 natural selection. Evolutionary, or Darwinian, individuals are members of such populations, or
219 units of selection. A major transition occurs when a new kind of entity emerges with heritable
220 variation in fitness, that is, when a new Darwinian population emerges through interactions among
221 previously existing individuals.

222

223 Godfrey-Smith's account of Darwinian populations is, of course, much more thorough and
224 cogent than this short summary. It recognizes multiple dimensions that contribute to the ability of
225 a population to respond to selection, it emphasizes that all of them, and as a result individuality
226 itself, come in degrees, and it acknowledges that some degree of individuality can simultaneously
227 exist at multiple levels. Its concept of individuality is thus well suited to examining major
228 transitions, during which intermediate degrees of individuality exist at multiple levels of
229 organization.

230

231 Even if we agree that a major transition is an evolutionary process that results in a new
232 population of evolutionary individuals, we will still be left with marginal cases. Because
233 individuality comes in degrees, any line we draw will necessarily be arbitrary (Pepper and Herron
234 2008; Godfrey-Smith 2009; Herron et al. 2013). In fact, since most such transitions probably play
235 out over geological time scales, while we can generally only see a snapshot, we should expect to
236 see many incomplete transitions at any given time. These may be on their way to a complete
237 transition, or they may be stable arrangements in their own right (Herron et al. 2013). My goal is
238 not to identify the at which a major transition should be considered complete, but rather to identify
239 the sorts of processes that should be considered within the MTE framework.

240

241 Intermediate cases, in which a new level of selection has partially or debatably emerged,
242 should be part of the MTE conversation. They are our best window into the processes and
243 intermediate states that occur during a major transition. When we look at only the ends of a
244 spectrum, we may miss the middle, which is where the interesting stuff is happening.

245

246 **What to leave out**

247 *For it to be useful to study transitions as a group, there is a need for conceptual unity.*
248 *Without conceptual unity, they may as well be grouped together under the heading ‘a list*
249 *of interesting and important events in the history of life’. (Ågren 2014, p. 91)*

250 Having chosen a criterion, we should apply it consistently. Two kinds of changes will be needed.
251 First, events and processes that don't fit the criterion of resulting in a new level of selection should

be ruthlessly pruned. The most obvious candidate for expulsion is the origin of the genetic code. The fact that this transition is rarely discussed in the MTE framework constitutes an implicit acknowledgement of its poor fit, and various authors have pointed out explicitly that it does not belong (Michod 2011; Ågren 2014; West et al. 2015; O'Malley and Powell 2016). Similarly, the origin of language has been largely absent from discussions of major transitions, and several authors have argued that it should be excluded for the sake of theoretical consistency (McShea and Simpson 2011; Michod 2011; West et al. 2015; O'Malley and Powell 2016). Neither innovation meets what Maynard Smith and Szathmáry themselves identify as their most important criterion, the shift from independent to group replication, and neither results in a new level of selection. Two of these things are not like the others; let us follow the IAU's example and excise that which does not belong.

Surprisingly, several recent proposals have gone the opposite direction. Various modifications have been proposed that would, if implemented, exacerbate the lack of theoretical unity by adding events that have very little in common with the transitions traditionally included within the MTE framework. Proposed additions include the origin of oxygenic photosynthesis and the resulting oxygenation of the Earth's atmosphere (Szathmáry and Fernando 2011; O'Malley and Powell 2016); the origin of a nervous system in animals (Jablonka and Lamb 2006); the Cambrian Explosion (Calcott and Sterelny 2011); the origin of closed circulation systems in vertebrates, annelids, and cephalopods (Szathmáry and Fernando 2011); the origin of a rigid cell wall (Szathmáry and Fernando 2011); the origin of an exoskeleton in Ecdysozoa (Szathmáry and Fernando 2011); and the origin of the immune system (Szathmáry and Fernando 2011).

All of these proposed additions are undoubtedly important evolutionary events, but none of them belong in the MTE framework. They don't meet Buss's criteria of transitions between units of selection (Buss 1987), Maynard Smith and Szathmáry's of independently replicating entities shifting to group replication (Maynard Smith and Szathmáry 1995), or Michod's of the emergence of new evolutionary individuals (Michod and Roze 1997; Michod 1999, 2005, 2011). Adding the origins photosynthesis, nervous systems, cell walls, etc. to the MTE framework is analogous to expanding the definition of planets to include not only trans-Neptunian objects but comets, asteroids, and moons as well. By expanding the category to include a grab-bag of unrelated items, we would sacrifice any semblance of theoretical unity.

The justification for most of the proposed additions is their outsized effects on the biosphere and on subsequent evolutionary processes. Importance, though, is a lousy criterion for grouping evolutionary processes. The MTE framework is a part of evolutionary theory in the same way that behavioral ecology, quantitative genetics, evo-devo, and inclusive fitness are parts of evolutionary theory. Each seeks to explain some aspect of biology and includes within its purview all of the relevant examples without regard for the magnitude of their effect. Behavioral ecology does not exclude behaviors unique to a single species, nor does evo-devo exclude monotreme development because monotremes have not experienced a large adaptive radiation. In each case, the fit of a particular process to a subfield is a matter of similarity to other processes in the same subfield, not of perceived importance.

Importance is a lousy criterion because it is based on outcomes, not on fundamental similarities. Maynard Smith and Szathmáry's list was not intended to be a list of the most important

evolutionary changes (in spite of the title of their book). In fact, they specifically exclude consideration of such "major phenotypic changes" as terrestrialization and the origins of vision, flight, and homeothermy (Maynard Smith and Szathmáry 1995). The framework that explains processes as diverse as the evolution of multicellularity, of nervous systems, and of cell walls might be best described as 'evolutionary biology'; no smaller category will suffice. Aside from preventing theoretical unity, using importance as a criterion precludes consideration of recent or in-progress transitions, the eventual importance of which we can't yet evaluate.

What to leave in

Each polypus, though closely united to its brethren, has a distinct mouth, body, and tentacula. Of these polypi, in a large specimen, there must be many thousands; yet we see that they act by one movement; that they have one central axis connected with a system of obscure circulation; and that the ova are produced in an organ distinct from the separate individuals. Well may one be allowed to ask, what is an individual? (Darwin 1839, p. 117, referring to a colonial cnidarian sea pen).

The second kind of change that will be needed to make the MTE framework approximate a natural kind is to include events and processes that meet the criteria of resulting in a new level of selection, but which have generally been ignored. Some such additions have already been suggested. For example, the endosymbiosis of a cyanobacterium that resulted in the primary acquisition of a chloroplast, and secondary and higher-order acquisitions of eukaryotic algae, are egalitarian transitions that parallel the endosymbiotic origin of mitochondria. Although they have been relatively neglected in the MTE literature, several authors have pointed out that they belong

(Keeling 2010; Bourke 2011; Erwin 2015; Szathmáry 2015; O'Malley and Powell 2016). The relatively recent domestication of a cyanobacterium by the filose amoeba *Paulinella*, which may represent a second origin of a primary chloroplast, has also been nominated for inclusion (Booth 2014; Szathmáry 2015).

Other kinds of multispecies coalitions have also been proposed for inclusion in the MTE framework. Benjamin Kerr and Joshua Nahum, for example, argue that the association between corals and single-celled algae called zooxanthellae qualifies (Kerr and Nahum 2011). Andrew Bourke and Szathmáry both consider the origins of lichens as major transitions (Bourke 2011; Szathmáry 2015), and Szathmáry also includes the *Buchnera*-aphid symbiosis within his 'Major Transitions 2.0' (Szathmáry 2015).

Symbiotic associations occupy a spectrum of degrees of intimacy from casual to mitochondria. Which of these qualify as a composite individual, or holobiont, will undoubtedly differ among readers. Most would, I think, agree that free-living protists, with their bacterial and archaeal components, qualify; few would, I think, extend that to oxpeckers and wildebeest. In between, there is a range of associations that may or may not constitute major transitions. What I am advocating is a standard by which we can judge: does the association constitute a composite individual, in the sense of a unit of selection? If so, it should be included within the MTE framework.

Among the fraternal transitions, the most egregious oversight is the exclusion of colonial animals, such as colonial trematodes (Hechinger et al. 2011; Resetařits et al. 2020) and marine

invertebrates within the zoantharian and anthozoan corals, hydrozoans, bryozoans, graptolites, and ascidians. Many have differentiated zooids, some even with reproductive specialization, a striking parallel to differentiated cells in multicellular organisms. Buss hints that he does consider such 'metameric organisms' to constitute a new level of selection (Buss 1987, p. 195), and Bourke argues explicitly for their inclusion (Bourke 2011). As with the putative egalitarian transitions discussed above, the question of whether or not a coral or graptolite colony is the outcome of a major transition hinges on whether or not it qualifies as an individual. The most integrated of these, for example Portuguese man o' war, certainly do.

Let's talk about sex

[S]ex requires the coordination of two individuals, and, so implies the existence of a higher-level unit, the reproductive pair...Though I argue that viewing sex as an ETI may help integrate different perspectives on the problem of the evolution of sex, there are several senses in which the evolution of sex is not an ETI in the same sense as, say, multicellularity. (Michod 2011, p. 186)

I have so far largely ignored one of Maynard Smith and Szathmáry's (1995) transitions, that from asexual to sexual populations. Whether or not the origin of sex should be included within the MTE framework is a more difficult question than those I considered in the previous sections. The origins of the genetic code and of language are clearly not origins of new levels of selection. The origins of plastids and other endosymbionts, of lichens, and of colonial marine invertebrates clearly are.

The evolution of eukaryotic sex was one of Maynard Smith and Szathmáry's major transitions (Maynard Smith and Szathmáry 1995). Michod generally includes it within his evolutionary transitions in individuality, though he admits that there are important differences between sex and other such transitions (Michod 2011, see quote above). Bourke also includes sex as a transition in individuality (Bourke 2011). On the other hand, Queller pointed out the poor fit of sex within the major transitions framework (Queller 1997), Szathmáry demoted it to an subprocess within the evolution of eukaryotes (Szathmáry 2015), and West and colleagues excluded it altogether (West et al. 2015).

The evolution of sex has some fundamental similarities to that of eukaryotes, multicellularity, and eusociality, but important differences from these processes as well. But viewing major transitions in the way I advocate gives us a grip on the question. Whether or not sex belongs in the major transitions framework should be decided on the same basis as other transitions: does it result in a new unit of selection?

My assessment is that in most cases, it does not. In the view I have outlined here, sex would be a major transition if the mated pair constitutes a unit of selection. Indeed, these are the grounds on which Michod (2011, p. 186) justifies viewing sex as an ETI: "...fitness is a property of the reproductive pair, not of individual organisms. In this sense, the reproductive pair is the real evolutionary individual in obligate sexual species."

It is true that the members of a mated pair often cooperate. But is the mated pair an evolutionary individual in the sense of a unit of selection? Each has its own genetic interest, namely

to increase the representation of the alleles it carries in future generations. These different interests cause conflicts, both intra- and interlocus, and in some cases these conflicts are so severe as to be fatal (Chapman et al. 2003). Often each partner has its own preference regarding how often and with whom the other mates, and arms races occur in an escalating contest to enforce (or escape enforcement of) these preferences (Chapman et al. 2003). Even in cases of strict genetic monogamy, each partner has a different optimal level of resource investment, which manifests as conflicts over such things as clutch size and parental care.

Perhaps the strongest argument against viewing the mated pair as a unit of selection is that the members' fitnesses are not generally the same. Although their fecundities are certainly linked, they are only likely to be equal in cases of strict genetic monogamy. Worse, their viabilities are, in most cases, quite independent, since the death of one does not imply the death of the other.

The best example supporting the view of sex as an MTE is probably cases of so-called "sexual parasites" as found in some anglerfish (Regan 1925). In such cases, the male may be a half million times smaller than the female, with whom he permanently fuses, eventually devolving to little more than a gonad. Even so, the male and female retain separate reproductive interests, as the female often multiply mates (Pietsch 2005), while the male would surely prefer an exclusive partnership in which he fertilizes all of the female's eggs. Thus, even in the best-case scenario, the mated pair is a poor candidate for individuality, undermining the case for including sex in the MTE framework.

409 **The payoff: common themes**

410 *There is sufficient formal similarity between the various transitions to hold out the hope*
411 *that progress in understanding any one of them will help illuminate the others. (Szathmáry*
412 *and Maynard Smith 1995, p. 23)*

413 Rocky planets are generally thought to form inside, and gas giants outside, the snow line (the
414 distance from the central protostar at which water condensation becomes possible) (Kokubo and
415 Ida 2002). Trans-Neptunian objects (including Pluto) do not fit this generalization, because they
416 formed through fundamentally different processes (Lykawka and Mukai 2007). If current models
417 of planetary formation are correct, we can expect to find exoplanets dominated by rocky planets
418 inside, and gas giants outside, their systems' snow lines. A contrary finding would imply that
419 planetary migration is common, that snow lines frequently move, or that current models are wrong
420 (Ida and Lin 2005). By choosing objective criteria and applying them consistently, the IAU has
421 made planets something like a natural kind, allowing such generalizations and increasing the utility
422 of the category.

423
424 Similarly, if we define MTEs as something like a natural kind, we can hope to fulfill
425 Szathmáry and Maynard Smith's vision (see quote above) by finding principles that apply across
426 levels of organization, from chromosomes to societies. Some of these principles have already been
427 inferred, for example that cooperation among the lower-level units plays an important role in the
428 emergence of a higher-level individual (Michod et al. 2003; Michod and Herron 2006), that such
429 transitions often lead to division of labor among the lower-level units (Maynard Smith and
430 Szathmáry 1995; Michod 2007), and that the number of subunits correlates with other measures
431 of complexity (Carmel and Shavit 2020). If these principles truly are general, we can expect that

they will hold wherever life exists. A contrary finding would force a revision of our models of major transitions, or at least a narrowing of their scope.

Defining MTEs this way allows us to ask questions about the processes and outcomes of major transitions that are not possible if those processes and outcomes are treated as criteria. Is cooperation among the lower-level units always necessary? Under what conditions do major transitions lead to division of labor? How consistently, and in what sense, do major transitions involve a change in the mechanism of inheritance?

By excluding criteria based on importance, we can also ask meaningful questions about the outcomes of major transitions. What are the factors that determine whether or not a major transition leads to a large adaptive radiation, or to biosphere-altering ecological effects? These questions are rendered meaningless if large adaptive radiations and biosphere-altering effects are qualifications for major transitions, just as using 'has a biosphere' as a criterion for a celestial body to qualify as a planet would render meaningless questions about what kinds of planets can support life. We can only answer such questions by comparing transitions that have had these kinds of outcomes with those that have not.

Including 'minor' major transitions (to borrow Grosberg and Strathmann's (2007) terminology) also has the benefit of increasing sample size. In our search for trends and general principles, we now have access to a census (at least of known cases) instead of a biased sample. By examining similar processes, regardless of their outcomes, we can potentially learn about watershed transitions whose origins have been obscured by the eons, for example about the origins

of chloroplasts from subsequent endosymbioses between heterotrophs and photoautotrophs (Gavelis and Gile 2018; Husnik and Keeling 2019). What might we learn about intracellular symbioses by considering not only the origin of eukaryotes but of primary and higher-order plastids, insect endosymbionts (and endo-endosymbionts (Dohlen et al. 2001)), and algal cells that harbor Rickettsial bacteria (Kawafune et al. 2014)? What might we learn about clonal multicellularity from the spondylomoracean green alga *Pyrobotrys* (Nakada et al. 2010), colonial choanoflagellates (Fairclough et al. 2010), and multicellular ciliates such as *Zoothamnium*, or about societies from colonial trematodes, bryophytes, graptolites, and corals?

Objections

The question can justifiably be raised whether we have a theory or not. I think we do, but with qualifications. (Szathmáry 2015, p. 10110)

Though they won't match the outcry over Pluto's exclusion, I expect that objections will be raised against the revision I have proposed. In this section, I will attempt to answer some that have already been raised and some that seem obvious.

Fraternal and egalitarian transitions (Queller 1997) are fundamentally different processes.

This is true, but they also have important characteristics in common, and historically both have been included in every version of the MTE framework (Table 1). Fraternal and egalitarian are useful subcategories within the larger category of major transitions, just as rocky and gas giant are useful subcategories within the larger category of planets. Both result in new levels of selection, and both contribute to our understanding of the origins of life's hierarchical organization.

477

478 **Viewing MTEs as transitions in individuality still lumps unique, one-off transitions with**
479 **repeated, somewhat predictable events** (O'Malley and Powell 2016). This too is true: some
480 major transitions, such as the origins of multicellularity, have happened many times, while others,
481 such as the endosymbiotic origin of eukaryotes, are unique. I don't see this as a problem. First of
482 all, we don't know which events are, as O'Malley and Powell put it, "non-replicable, one-off
483 events" (O'Malley and Powell 2016, p. 163). The origin of eukaryotes is an obvious candidate, but
484 we don't actually know that, if it hadn't happened in the Lokiarchaeota, something like eukaryotes
485 would not have arisen elsewhere in the tree of life. Even if some of the transitions truly are non-
486 replicable, though, this does not threaten the coherence of the category. Evolution, after all, is a
487 combination of repeatable and contingent events.

488

489 **Limiting MTEs to transitions in individuality excludes many events of fundamental**
490 **importance to evolutionary processes and to the biosphere** (O'Malley and Powell 2016; Powell
491 and O'Malley 2019). Furthermore, including all of the transitions that result in a new level of
492 individuality would mean including some events that have not (yet) had major evolutionary
493 consequences (O'Malley and Powell 2016). These are only disadvantages if we think important
494 consequences should be one of the criteria. I have explained in the previous sections why I think
495 importance is better treated as an outcome than as a criterion. Having major consequences is surely
496 contingent, and we can't say which recent transitions in individuality might have major
497 consequences in the future. Furthermore, some events without major consequences have
498 traditionally been included within the MTE framework, for example origins of multicellularity that

have not led to major adaptive radiations or biosphere-altering ecological impacts, such as the volvocine algae.

Even in its revised form, the MTE framework remains progressivist, encouraging a ‘monads to man’ view of evolution (O’Malley and Powell 2016; Powell and O’Malley 2019). If this is true, it is an argument about how we should interpret the MTE framework, not about how we should define it. There is nothing inherently progressivist in recognizing that in some lineages, at some times, complexity, in the sense of the number of hierarchically nested levels (McShea 1996, 2001), has increased. This is simply true. As Maynard Smith and Száthmary put it, "...there is surely some sense in which elephants and oak trees are more complex than bacteria, and bacteria than the first replicating molecules” (Maynard Smith and Szathmáry 1995, p. 23). A claim that such increases are universal or inevitable would be progressivist, but I am unfamiliar with any such claim in the peer-reviewed literature. Furthermore, in the view I advocate, humans occupy no privileged position, and the vast majority of MTEs—most endosymbiotic events, most origins of multicellularity, all origins of eusociality—did not lead to humans. If there is a ‘highest’ level (again, in terms of number of nested levels within), it would be that of quaking aspen groves, of eusocial insects and colonial marine invertebrates, of quaternary endosymbiosis-derived dinoflagellates, or possibly of ant ‘supercolonies’ (Giraud et al. 2002).

Conclusions

At the heart of my arguments is the simple observation that the history of life is a history of the elaboration of new self-replicating entities by the self-replicating entities contained

521 *within them (or the incorporation of some self-replicating entities by others)...The history*
522 *of life is a history of different units of selection. (Buss 1987, p. viii)*

523 I take the purpose of the major transitions framework to be explaining the hierarchical organization
524 of life on Earth: societies made up of organisms, which are in turn made up of cells, cells within
525 cells, and so on (Buss 1987; Michod 1999; Bourke 2011; Simpson 2011; Ågren 2014). Each level
526 of the hierarchy, from chromosomes to superorganisms, has or is thought to have emerged from
527 components that were previously evolutionary individuals in their own right. I advocate including
528 within the major transitions framework all those, and only those, events and processes in which a
529 new level of selection has emerged. Applying this criterion consistently would make the major
530 transitions framework philosophically coherent, something like a natural kind. By including events
531 and processes that have mostly been neglected, it would also increase the number of events from
532 which we can draw inferences.

533
534 We do need a theoretical framework to explain other events of momentous consequence,
535 such as the origin of the genetic code, the Cambrian explosion, the biotic oxygenation of Earth's
536 atmosphere, and the origins of powered flight. Thankfully, such a framework exists. We could call
537 it macroevolution, or simply evolutionary biology. No smaller category can hope to both explain
538 such a wide variety of events and retain a semblance of coherence.

539
540 The course I advocate is a minimal intervention and much less invasive than other proposed
541 treatments. Biologists and philosophers who write about the MTE framework, particularly those
542 who seek general principles, have, by and large, already converged on something like the definition
543 I advocate (e.g., Bonner 1974; McShea 2001; Bourke 2011; Godfrey-Smith 2011; Simpson 2011;

Ågren 2014; Clarke 2014; West et al. 2015; McShea 2016; Czégel et al. 2019; Carmel and Shavit 2020). In some cases this has been explicit; in others the authors have simply ignored MTEs that do not result in new levels of selection. In fact, aside from their inclusion by Maynard Smith and Szathmary (1995), the origins of the genetic code and language have played virtually no role in the development of the MTE framework, probably because there is nothing to be gained by their inclusion. The impracticality of including fundamentally different processes has, in other words, already driven the field toward adopting a coherent category. Recent proposals to include additional unrelated processes would reverse this trend, radically redefining the MTE framework into something unrecognizable and less useful.

There is no equivalent of the IAU for evolutionary biology, no final authority to impose a definition on the field. Definitions are not right or wrong anyway, but more or less useful. I have argued for a particular definition of major transitions on the grounds that it closely approximates a natural kind, making it more useful than less coherent definitions. Having a clear criterion will allow us to objectively evaluate whether a particular process or event constitutes a major transition, and grouping like processes and events will allow us to identify trends and general principles that may be true for all.

References

- Ågren JA (2014) Evolutionary transitions in individuality: insights from transposable elements. *Trends in Ecology & Evolution* 29:90–96. <https://doi.org/10.1016/j.tree.2013.10.007>
- Bonner JT (1974) *On Development: The Biology of Form*. Harvard University Press, Boston
- Booth A (2014) Populations and individuals in heterokaryotic fungi: a multilevel perspective. *Philosophy of Science* 81:612–632. <https://doi.org/10.1086/677953>
- Bourke AFG (2011) *Principles of Social Evolution*. Oxford University Press, Oxford

569 Buss LW (1987) *The Evolution of Individuality*. Princeton University Press, Princeton

570 Calcott B, Sterelny K (2011) Introduction: a dynamic view of evolution. In: Calcott B, Sterelny K
571 (eds) *The Major Transitions in Evolution Revisited*. pp 1–14

572 Calcott B, Sterelny K, Calcott B, Sterelny K (eds) (2011) *The Major Transitions in Evolution*
573 *Revisited*. Cambridge University Press, Cambridge

574 Carmel Y, Shavit A (2020) Operationalizing evolutionary transitions in individuality. *Proceedings*
575 *of the Royal Society B: Biological Sciences* 287:20192805.
576 <https://doi.org/10.1098/rspb.2019.2805>

577 Chapman T, Arnqvist G, Bangham J, Rowe L (2003) Sexual conflict. *Trends in Ecology &*
578 *Evolution* 18:41–47. [https://doi.org/10.1016/S0169-5347\(02\)00004-6](https://doi.org/10.1016/S0169-5347(02)00004-6)

579 Clarke E (2014) Origins of evolutionary transitions. *J Biosci* 39:303–317.
580 <https://doi.org/10.1007/s12038-013-9375-y>

581 Czégel D, Zachar I, Szathmáry E (2019) Multilevel selection as Bayesian inference, major
582 transitions in individuality as structure learning. *Royal Society Open Science* 6:190202–
583 190202

584 Darwin CR (1839) *Narrative of the surveying voyages of His Majesty's Ships Adventure and*
585 *Beagle between the years 1826 and 1836, describing their examination of the southern*
586 *shores of South America, and the Beagle's circumnavigation of the globe. Journal and*
587 *remarks. 1832-1836*. Henry Colburn, London

588 Dohlen CD von, Kohler S, Alsop ST, McManus WR (2001) Mealybug β -proteobacterial
589 endosymbionts contain γ -proteobacterial symbionts. *Nature* 412:433–436.
590 <https://doi.org/10.1038/35086563>

591 Erwin DH (2015) A public goods approach to major evolutionary innovations. *Geobiology*
592 13:308–315. <https://doi.org/10.1111/gbi.12137>

593 Fairclough SR, Dayel MJ, King N (2010) Multicellular development in a choanoflagellate. *Current*
594 *Biology* 20:R875–R876. <https://doi.org/10.1016/j.cub.2010.09.014>

595 Gavelis GS, Gile GH (2018) How did cyanobacteria first embark on the path to becoming
596 plastids?: lessons from protist symbioses. *FEMS Microbiol Lett* 365:.
597 <https://doi.org/10.1093/femsle/fny209>

598 Giraud T, Pedersen JS, Keller L (2002) Evolution of supercolonies: the Argentine ants of southern
599 Europe. *PNAS* 99:6075–6079. <https://doi.org/10.1073/pnas.092694199>

600 Godfrey-Smith P (2011) Darwinian populations and transitions in individuality. In: Calcott B,
601 Sterelny K (eds) *The Major Transitions in Evolution Revisited*. MIT Press, pp 65–81

602 Godfrey-Smith P (2009) Darwinian Populations and Natural Selection. Oxford University Press,
603 Oxford

604 Grosberg RK, Strathmann RR (2007) The evolution of multicellularity: a minor major transition?
605 Annual Review of Ecology, Evolution and Systematics 38:621–654

606 Hechinger RF, Wood AC, Kuris AM (2011) Social organization in a flatworm: trematode parasites
607 form soldier and reproductive castes. Proceedings of the Royal Society B: Biological
608 Sciences 278:656–665. <https://doi.org/10.1098/rspb.2010.1753>

609 Herron MDMD, Rashidi A, Shelton DEE, Driscoll WW (2013) Cellular differentiation and
610 individuality in the “minor” multicellular taxa. Biological Reviews of the Cambridge
611 Philosophical Society 88:844–861. <https://doi.org/10.1111/brv.12031>

612 Hull DL (1981) Units of evolution: a metaphysical essay. In: Jensen VJ, Harre R (eds) The
613 Philosophy of Evolution. Harvester Press, Brighton, England, pp 23–44

614 Husnik F, Keeling PJ (2019) The fate of obligate endosymbionts: reduction, integration, or
615 extinction. Current Opinion in Genetics & Development 58–59:1–8.
616 <https://doi.org/10.1016/j.gde.2019.07.014>

617 Ida S, Lin DNC (2005) Toward a deterministic model of planetary formation. III. Mass distribution
618 of short-period planets around stars of various masses. The Astrophysical Journal
619 626:1045–1060

620 International Astronomical Union (2006a) IAU Resolution 5a: definition of a “planet” in the solar
621 system

622 International Astronomical Union (2006b) IAU Resolution 6a: definition of Pluto-class objects

623 Jablonka E, Lamb MJ (2006) The evolution of information in the major transitions. Journal of
624 Theoretical Biology 239:236–246. <https://doi.org/10.1016/j.jtbi.2005.08.038>

625 Kawafune K, Hongoh Y, Nozaki H (2014) A rickettsial endosymbiont inhabiting the cytoplasm of
626 *Volvox carteri* (Volvocales, Chlorophyceae). Phycologia 53:95–99.
627 <https://doi.org/10.2216/13-193.1>

628 Keeling PJ (2010) The endosymbiotic origin, diversification and fate of plastids. Philosophical
629 Transactions of the Royal Society of London Series B, Biological sciences 365:729–748.
630 <https://doi.org/10.1098/rstb.2009.0103>

631 Kerr B, Nahum J (2011) The evolution of restraint in structured populations: setting the stage for
632 an egalitarian major transition. In: Calcott B, Sterelny K (eds) The Major Transitions in
633 Evolution Revisited. The MIT Press, Cambridge, MA, pp 127–140

634 Kokubo E, Ida S (2002) Formation of protoplanet systems and diversity of planetary systems. The
635 Astrophysical Journal 581:666–680. <https://doi.org/10.1086/344105>

- 636 Leight E (2019) Lil Nas X's 'Old Town Road' was a country hit. Then country changed its mind.
637 Rolling Stone
- 638 Lewontin RC (1970) The units of selection. *Annual Review of Ecology and Systematics* 1:1–18.
639 <https://doi.org/10.1146/annurev.es.01.110170.000245>
- 640 Lykawka PS, Mukai T (2007) Dynamical classification of trans-neptunian objects: Probing their
641 origin, evolution, and interrelation. *Icarus* 189:213–232.
642 <https://doi.org/10.1016/j.icarus.2007.01.001>
- 643 Maynard Smith J (1988) Evolutionary progress and levels of selection. In: Nitecki MH (ed)
644 *Evolutionary Progress*. The University of Chicago Press, Chicago, pp 219–230
- 645 Maynard Smith J, Szathmáry E (1995) *The Major Transitions in Evolution*. Oxford University
646 Press, Oxford
- 647 McShea DW (1996) Perspective: metazoan complexity and evolution: is there a trend? *Evolution*
648 50:477–492. <https://doi.org/10.1111/j.1558-5646.1996.tb03861.x>
- 649 McShea DW (2001) The hierarchical structure of organisms: a scale and documentation of a trend
650 in the maximum. *Paleobiology* 27:405–423. [https://doi.org/10.1666/0094-](https://doi.org/10.1666/0094-8373(2001)027<0405:THSOOA>2.0.CO;2)
651 [8373\(2001\)027<0405:THSOOA>2.0.CO;2](https://doi.org/10.1666/0094-8373(2001)027<0405:THSOOA>2.0.CO;2)
- 652 McShea DW (2016) Three trends in the history of life: an evolutionary syndrome. *Evol Biol*
653 43:531–542. <https://doi.org/10.1007/s11692-015-9323-x>
- 654 McShea DW, Simpson C (2011) The miscellaneous transitions in evolution. In: Calcott B, Sterelny
655 K (eds) *The Major Transitions in Evolution Revisited*. pp 19–33
- 656 Michod RE (1999) *Darwinian Dynamics: Evolutionary Transitions in Fitness and Individuality*.
657 Princeton University Press, Princeton, NJ
- 658 Michod RE (2005) On the transfer of fitness from the cell to the multicellular organism. *Biology*
659 & Philosophy 20:967–987. <https://doi.org/10.1007/s10539-005-9018-2>
- 660 Michod RE (2011) Evolutionary transitions in individuality: multicellularity and sex. In: Calcott
661 B, Sterelny K (eds) *The Major Transitions in Evolution Revisited*. MIT Press, pp 167–197
- 662 Michod RE (2007) Evolution of individuality during the transition from unicellular to multicellular
663 life. *PNAS* 104:8613–8618. <https://doi.org/10.1073/pnas.0701489104>
- 664 Michod RE, Herron MD (2006) Cooperation and conflict during evolutionary transitions in
665 individuality. *Journal of Evolutionary Biology* 19:1406–1409.
666 <https://doi.org/10.1111/j.1420-9101.2006.01142.x>
- 667 Michod RE, Nedelcu AM, Roze D (2003) Cooperation and conflict in the evolution of
668 individuality. IV. Conflict mediation and evolvability in *Volvox carteri*. *BioSystems*
669 69:95–114

670 Michod RE, Roze D (1997) Transitions in individuality. *Proceedings: Biological Sciences*
671 264:853–857

672 Nakada T, Nozaki H, Tomita M (2010) Another origin of coloniality in Volvocaeans: the
673 phylogenetic position of *Pyrobotrys* Arnoldi (Spondylomoraceae, Volvocales). *Journal of*
674 *Eukaryotic Microbiology* 57:379–382. <https://doi.org/10.1111/j.1550-7408.2010.00488.x>

675 O'Malley MA, Powell R (2016) Major problems in evolutionary transitions: how a metabolic
676 perspective can enrich our understanding of macroevolution. *Biology & Philosophy*
677 31:159–189. <https://doi.org/10.1007/s10539-015-9513-z>

678 Pepper JW, Herron MD (2008) Does biology need an organism concept? *Biological Reviews of*
679 *the Cambridge Philosophical Society* 83:621–627. [https://doi.org/10.1111/j.1469-](https://doi.org/10.1111/j.1469-185X.2008.00057.x)
680 185X.2008.00057.x

681 Pietsch TW (2005) Dimorphism, parasitism, and sex revisited: modes of reproduction among
682 deep-sea ceratioid anglerfishes (Teleostei: Lophiiformes). *Ichthyological Research*
683 52:207–236

684 Powell R, O'Malley MA (2019) Metabolic and microbial perspectives on the “evolution of
685 evolution.” *Journal of Experimental Zoology Part B: Molecular and Developmental*
686 *Evolution* 332:321–330. <https://doi.org/10.1002/jez.b.22898>

687 Queller DC (1997) Cooperators since life began. *Quarterly Review of Biology* 72:184–188

688 Regan CT (1925) Dwarfed males parasitic on the females in oceanic angler-fishes (*Pediculati*
689 *ceratioidea*). *Proceedings of the Royal Society B* 97:386–400.
690 <https://doi.org/10.1098/rspb.1925.0006>

691 Resetarits EJ, Torchin ME, Hechinger RF (2020) Social trematode parasites increase standing
692 army size in areas of greater invasion threat. *Biology Letters* 16:20190765.
693 <https://doi.org/10.1098/rsbl.2019.0765>

694 Simpson C (2011) How many levels are there? How insights from evolutionary transitions in
695 individuality help measure the hierarchical complexity of life. In: Calcott B, Sterelny K
696 (eds) *The Major Transitions in Evolution Revisited*. The MIT Press, Cambridge, pp 199–
697 225

698 Spencer H (1910) *The Principles of Biology*, Volume 1. D. Appleton and Company, New York
699 and London

700 Szathmáry E (2015) Toward major evolutionary transitions theory 2.0. *Proceedings of the National*
701 *Academy of Sciences* 10104–10111. <https://doi.org/10.1073/pnas.1421398112>

702 Szathmáry E, Fernando C (2011) Concluding remarks. In: Calcott B, Sterelny K (eds) *The Major*
703 *Transitions in Evolution Revisited*. The MIT Press, Cambridge, MA, pp 301–310

704 Szathmáry E, Maynard Smith J (1995) The major evolutionary transitions. *Nature* 374:227–232

705 Weismann A (1889) *Essays Upon Heredity and Kindred Biological Problems* (Authorised
 706 Translation). Clarendon Press, Oxford

 707 Weismann A (1893) *The Germ-Plasm: a Theory of Heredity* (English Translation by W. N. Parker
 708 & H. Rönfeldt). Charles Scribner's Sons, New York

 709 West SA, Fisher RM, Gardner A, Kiers ET (2015) Major evolutionary transitions in individuality.
 710 *Proceedings of the National Academy of Sciences* 112:10112–10119.
 711 <https://doi.org/10.1073/pnas.1421402112>

 712 Wheeler WM (1911) The ant-colony as an organism. *Journal of Morphology* 22:307–325.
 713 <https://doi.org/10.1002/jmor.1050220206>

 714